

Secretropin - SRx

Product Label Information

Supplement Facts

Active Ingredients: Pyroglutamine, L-Glutamine, L-Arginine, L-Lysine, L-Valine, L-Tyrosine Alpha-ketoglutarate, L-Ornithine, L-alpha glycerol phosphoryl-choline, Gamma Amino Butyric Acid (GABA), and Mucina pruriens.

Other Ingredients: Deionized water, Lecithin, Phospholipids, Sodium citrate, Citric acid, Maltodextrin, Potassium sorbate, Artificial color and Flavour.

Each two(2) sprays delivers 300mg of the proprietary blend of the active ingredients.

Serving Size

Standard Serving: Two(2) pumps in the morning and four(4) pumps at night.

Advanced Serving: Individuals larger than 200 pounds may need to increase the evening dose from four(4) pumps to six(6) pumps.

Secretropin Directions

Each Morning, upon arising, pump 2 sprays under the tongue and hold for 30 seconds before swallowing. Perform this process 30 minutes before a meal and then wait 30 minutes before eating or drinking. If you eat, then wait 30 minutes before using.

Each Evening, place 4 sprays under the tongue and hold for 30 seconds before swallowing. Perform this process 30 minutes before a meal and then wait 30 minutes before eating or drinking. If you eat, then wait 30 minutes before using.

Immediately upon arising in the morning and just before bed time!!

Secretropin Warnings

This product is not intended for use by anyone under the age of 18 years. This product should not be used if you are pregnant or nursing. Keep this product out of reach of children. Do not use if seal is broken. In the event of any adverse reaction immediately discontinue use and consult your physician.

Patient Monitoring

Laboratory Testing and Secretropin®: Secretropin® works within the body's regulatory mechanisms to increase the amount of GH that is produced and released by the anterior pituitary gland (The Master Gland). In response to an increase in the production and release of growth hormone the body's natural tendency is to decrease the level. Normally, there is an up and down production of growth hormone throughout the night and early morning. Your doctor will run blood tests that can still show that there had been an increase in the production of growth hormone and IGF-1.

Laboratory Testing

Ideally, serum testing will suffice for monitoring the response from **Secretropin®**. Salivary testing serves little or no function relative to any treatment protocols. Urine testing has major advantages at showing us what has gotten into our cells based upon measurable metabolites. Unfortunately, there are a number of hormones that do not pass into the urine and therefore must be assessed by serum (DHT for one). Here are some of the most basic tests for monitoring Secretropin® use:

Initial Laboratory: Serum Testing: IGF-1, IGFBP-3, DHEAs, Free-Testosterone, DHT, and Estradiol,

Follow-up Labs: Serum Testing: IGF-1, IGFBP-3.

Place an Order with Infinite Health

Secretropin® is the trademarked property of the Millennium Health Centers, Inc. Exclusive Canadian Distribution is provided by Infinite Health. Please contact Dr. George Traitses directly to order Secretropin®[†]
2914 Sheppard Ave. E. Suite 206, Scarborough, Ont., M1T 3J4. Phone 416 499 5656. Fax 416 499 5797.

webmaster@infinite-health.com

www.secretropin.ca

www.infinite-health.com